Inter nal Application No PCT/IB 03/05777

							
A. CLASSI IPC 7	FICATION OF SUBJECT MATTER H01J61/33 H01J61/82						
According to international Patent Classification (IPC) or to both national classification and IPC							
B. FIELDS	SEARCHED						
Minimum do IPC 7	cumentation searched (classification system followed by classificate $H01J$	on symbols)					
	ilon searched other than minimum documentation to the extent that s						
Electronic d	ata base consulted during the international search (name of data ba	se and, where practical, search terms used	1)				
EPO-In	ternal, WPI Data, PAJ						
C. DOCUM	ENTS CONSIDERED TO BE RELEVANT						
Category °	Citation of document, with Indication, where appropriate, of the rel	evant passages	Relevant to claim No.				
X	EP 1 150 337 A (TOSHIBA LIGHTING TECHNOLOGY) 31 October 2001 (2001 abstract paragraphs '0057! - '0064!; figur	1-10-31) res 11,12	1,2,6-8				
х	paragraph '0085! - paragraph '008 EP 0 483 507 A (GTE PROD CORP) 6 May 1992 (1992-05-06) abstract	50 :	1,3,6,7				
Y	page 4, line 12 - page 5, column figures 1-3; table 1 page 2, line 8 - line 52	55;	4				
Υ	EP 0 982 760 A (MATSUSHITA ELECTE CORP) 1 March 2000 (2000-03-01) paragraph '0059!; figure 14	RONICS	4				
		-/					
		-/					
X Furti	ner documents are listed in the continuation of box C.	χ Patent family members are listed in	n annex.				
° Special ca	tegories of cited documents:	"T" later document published after the Inte	emational filing date				
consid	ent defining the general state of the art which is not ered to be of particular relevance	or priority date and not in conflict with cited to understand the principle or the invention	the application but				
filing d	BLC .	 "X" document of particular relevance; the cannot be considered novel or cannot 	claimed invention				
*L' document which may throw doubts on priority claim(s) or which is clied to establish the publication date of another cliation or other special reason (as specified)		involve an inventive step when the do "Y" document of particular relevance; the c cannot be considered to involve an in-	cument is taken alone				
	ent referring to an oral disclosure, use, exhibition or	document is combined with one or mo ments, such combination being obvious	ore other such docu-				
"P" docume later th	nt published prior to the international filing date but an the priority date claimed	in the art. *&* document member of the same patent family					
Date of the actual completion of the international search		Date of mailing of the international search report					
24 June 2004		02/07/2004					
Name and n	nailing address of the ISA	Authorized officer					
1	European Patent Office, P.B. 5818 Patentlaan 2 NL – 2280 HV Rijswijk						
	Tel. (+31-70) 340-2040, Tx. 31 651 epo nl, Fax: (+31-70) 340-3016	Lang, T					

Intel Intel Application No
PCT/IB 03/05777

0.40	TO BE DELEVANT	1 C1/1B 03/03///
	ation) DOCUMENTS CONSIDERED TO BE RELEVANT	I Deleverado el la No
Category *	Citation of document, with Indication, where appropriate, of the relevant passages	Relevant to claim No.
Х	US 4 935 668 A (HANSLER RICHARD L ET AL) 19 June 1990 (1990-06-19) column 5, line 2 - line 42; figure 5	1-3,6-8
P,X	EP 1 315 197 A (PHILIPS INTELLECTUAL PROPERTY ;KONINKL PHILIPS ELECTRONICS NV (NL)) 28 May 2003 (2003-05-28) abstract paragraphs '0035! - '0062!; figures	1-3,6,8
A	US 6 069 456 A (LANG DIETER ET AL) 30 May 2000 (2000-05-30) abstract column 4, line 24 - line 63	1,2,4,6
Α	EP 0 443 964 A (WELCH ALLYN INC) 28 August 1991 (1991-08-28) page 3, line 4 - line 44; tables 1-3	1,3,4,6
A	GB 1 337 134 A (GEN ELECTRIC) 14 November 1973 (1973-11-14) page 3, line 116 - line 122	

FURTHER INFORMATION CONTINUED FROM PCT/ISA/ 210

Continuation of Box I.2

Claims Nos.: -

- 1) The terms "asymmetrical discharge space", "asymmetrical discharge vessel", and "the asymmetry" in claim 1 are vague and unclear. The discharge space/vessel of the embodiment of figure 1 of the application has two symmetry planes (the drawing plane of figure 1, and a plane perpendicular to the lamp axis intersecting the middle of the discharge space). Thus, if the term "asymmetrical" were to exclude all symmetries, claim 1 would lack support in the description and drawings (Art. 6 PCT). If not, it is unclear which shapes should be considered as "asymmetric" and which as "symmetric".
- 2) Further features of apparatus claim 1 refer to the process of designing the claimed lamp, comprising rules for choosing a discharge volume and a quantity of light-generating substances, namely:
- (a) the discharge space has a volume which is reduced by a given first factor in comparison with the volume of the discharge space of known mercury-containing discharge lamps, and
- (b) obscuration of portions of the luminous discharge arc and/or of portions of the electrodes by light-generating substances not evaporated in the operational state is prevented in that the quantity of the light-generating substances in the discharge space is reduced by a second factor which is determined in dependence on the value of the first factor and on the distance, defined by the asymmetry, of the electrodes (3) to a bottom surface (10, 11) that is lowermost in the operational position of the lamp
- Rule (a) is unclear because of the intended comparison to "known mercury-containing lamps": The number of such lamps, which were known at the priority date of this application, is so vast that it either places an undue burden on the public or is even entirely impossible to determine the range of volumes implied by this comparison. Further, it is definitely impossible to know in advance which mercury-containing lamps will become known in the future.
- Rule (b) is unclear already because of its reference to the unclear terms "the first factor" (see objections to rule (a)) and to "the asymmetry" (see item 1 above).

Moreover, rule (b) refers to a result to be achieved ("obscuration ... by ... substances not evaporated ... is prevented"), and to "a bottom surface that is lowermost in the operational position", during the use of the claimed lamp. These expressions are unclear since the operational parameters of the lamp (e.g. supply voltage, and consequently the vessel temperature) as well as the operational position of the lamp may vary and need not be fixed by the claimed lamp as such.

Further, the terms in rule (b) "determined in dependence on ..." and "defined by ..." are highly vague and unclear, since they imply any

FURTHER INFORMATION CONTINUED FROM PCT/ISA/ 210

arbitrary kind of dependence (it is unclear which).

3) For these reasons, present claim 1 lacks clarity within the meaning of Article 6 PCT to such an extent as to render a meaningful search of the claim impossible. The description does not clarify the scope of claim 1: Page 3, lines 1-3, only gives an example of volumes of known lamps of the invention (and does not explicitly mention any quantity of light generating substances); page 6, lines 7-9 only gives another singular example of a "usual" volume and quantity.

Consequently, the search has been carried out for those parts of the application which do appear to be clear, namely the volume specified in claim 3 and the quantity specified in claim 4.

The applicant's attention is drawn to the fact that claims relating to inventions in respect of which no international search report has been established need not be the subject of an international preliminary examination (Rule 66.1(e) PCT). The applicant is advised that the EPO policy when acting as an International Preliminary Examining Authority is normally not to carry out a preliminary examination on matter which has not been searched. This is the case irrespective of whether or not the claims are amended following receipt of the search report or during any Chapter II procedure. If the application proceeds into the regional phase before the EPO, the applicant is reminded that a search may be carried out during examination before the EPO (see EPO Guideline C-VI, 8.5), should the problems which led to the Article 17(2) declaration be overcome.

International application No. PCT/IB 03/05777

Box I Observations where certain claims were found unsearchable (Continuation of item 1 of first sheet)
This international Search Report has not been established in respect of certain claims under Article 17(2)(a) for the following reasons:
Claims Nos.: because they relate to subject matter not required to be searched by this Authority, namely:
2. X Claims Nos.: because they relate to parts of the International Application that do not comply with the prescribed requirements to such an extent that no meaningful International Search can be carried out, specifically: See FURTHER INFORMATION sheet PCT/ISA/210
3. Claims Nos.: because they are dependent claims and are not drafted in accordance with the second and third sentences of Rule 6.4(a).
Box II Observations where unity of invention is lacking (Continuation of item 2 of first sheet)
This International Searching Authority found multiple inventions in this international application, as follows:
As all required additional search fees were timely paid by the applicant, this international Search Report covers all searchable claims.
As all searchable claims could be searched without effort justifying an additional fee, this Authority did not invite payment of any additional fee.
3. As only some of the required additional search fees were timely paid by the applicant, this International Search Report covers only those claims for which fees were paid, specifically claims Nos.:
4. No required additional search fees were timely paid by the applicant. Consequently, this International Search Report is restricted to the invention first mentioned in the claims; it is covered by claims Nos.:
Remark on Protest The additional search fees were accompanied by the applicant's protest. No protest accompanied the payment of additional search fees.

ormation on patent family members

Interr il Application No
PC1, 10 03/05777

					1 1 1 1 1 1
Patent document cited in search report		Publication date		Patent family member(s)	Publication date
EP 1150337	A	31-10-2001	JP JP EP US	2001313001 A 2001312998 A 1150337 A1 2002158580 A1	09-11-2001 09-11-2001 31-10-2001 31-10-2002
EP 0483507	Α	06-05-1992	US CA DE DE EP JP JP	5101134 A 2052261 A1 69124916 D1 69124916 T2 0483507 A2 2872463 B2 4262364 A	31-03-1992 27-03-1992 10-04-1997 09-10-1997 06-05-1992 17-03-1999 17-09-1992
EP 0982760	A	01-03-2000	CN DE DE EP ID JP JP US	1246723 A 69900359 D1 69900359 T2 0982760 A1 23584 A 3437493 B2 2000138037 A 6376988 B1	08-03-2000 22-11-2001 11-07-2002 01-03-2000 04-05-2000 18-08-2003 16-05-2000 23-04-2002
US 4935668	A	19-06-1990	DE FR GB JP JP JP	3904927 A1 2632118 A1 2216333 A ,B 1292740 A 1836576 C 5050098 B 8900393 A ,B,	31-08-1989 01-12-1989 04-10-1989 27-11-1989 11-04-1994 28-07-1993 18-09-1989
EP 1315197	A	28-05-2003	DE CN EP JP JP US	10163584 C1 1427447 A 1315197 A1 2003187745 A 2003229058 A 2003098653 A1	17-04-2003 02-07-2003 28-05-2003 04-07-2003 15-08-2003 29-05-2003
US 6069456	Α	30-05-2000	DE CA EP HU JP	19731168 A1 2243737 A1 0903770 A2 9801641 A2 11086795 A	28-01-1999 21-01-1999 24-03-1999 28-04-1999 30-03-1999
EP 0443964	A	28-08-1991	US AU AU BR CA CN DE DE EP ES JP ZA	5144201 A 633178 B2 7095091 A 9100709 A 2036901 A1 1058862 A 69102791 D1 69102791 T2 0443964 A1 2025500 A6 3152950 B2 4218253 A 9101321 A	01-09-1992 21-01-1993 29-08-1991 29-10-1991 24-08-1991 19-02-1992 18-08-1994 24-11-1994 28-08-1991 16-03-1992 03-04-2001 07-08-1992 24-12-1991
GB 1337134	А	14-11-1973	BE	761971 A1	26-07-1971

mation on patent family members

Inten al Application No
PC1/1B 03/05777

B 1337134 A DE 2102112 A1 16-09-197 FR 2077012 A5 15-10-197			mation on patent family r	nembers	BCJ\TR 0	3/05777
B 1337134 A DE 2102112 A1 16-09-197 FR 2077012 A5 15-10-197 NL 7100341 A ,B, 28-07-197	B 1337134 A DE 2102112 A1 16-09-197: FR 2077012 A5 15-10-197: NL 7100341 A ,B, 28-07-197:	Patent document cited in search report	Publication date		Patent family member(s)	Publication date
		GB 1337134	Α	FR	2102112 A1 2077012 A5 7100341 A ,B,	16-09-1971 15-10-1971 28-07-1971

(19) World Intellectual Property Organization

International Bureau



(43) International Publication Date 8 July 2004 (08.07.2004)

PCT

(10) International Publication Number WO 2004/057645 A3

(51) International Patent Classification7: 61/82

H01J 61/33,

(21) International Application Number:

PCT/IB2003/005777

(22) International Filing Date: 9 December 2003 (09.12.2003)

(25) Filing Language:

English

(26) Publication Language:

English

(30) Priority Data:

02102868.3

20 December 2002 (20.12.2002) EP


- (71) Applicant (for DE only): PHILIPS INTELLECTUAL PROPERTY & STANDARDS GMBH [DE/DE]; Steindamm 94, 20099 Hamburg (DE).
- (71) Applicant (for all designated States except DE, US): KONINKLIJKE PHILIPS ELECTRONICS N.V. [NL/NL]; Groenewoudseweg 1, NL-5621 BA Eindhoven (NL).
- (72) Inventors: and
- (75) Inventors/Applicants (for US only): HAACKE, Michael

- (74) Agent: MEYER, Michael; Philips Intellectual Property & Standards GmbH, Weisshausstr. 2, 52066 Aachen (DE).
- (81) Designated States (national): AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW.
- (84) Designated States (regional): ARIPO patent (BW, GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PT, RO, SE, SI, SK, TR), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG).

Published:

- with international search report
- before the expiration of the time limit for amending the claims and to be republished in the event of receipt of
- (88) Date of publication of the international search report:

26 August 2004



charge lamps. The quantity of the light-generating substances in the discharge space (2) is reduced by the same factor in the simplest case, or even more strongly. This avoids the risk of an impairment of the imaging properties of the lamp because of non-evaporated light-generating substances which may shade off a portion of the luminous discharge arc (21) and/or the tips of the electrodes (3).